



# **Flowell Pneumatics Pvt. Ltd. Product Catalogue**

Welcome to Flowell Pneumatics, Your Trusted Partner In Compressed Air Piping Solutions.





www.flowellpneumatics.in

# CERTIFICATIONS



PRESSURE RATING TESTED BY ARAI



PATENT



ISO 9001:2015

Compliance



FIRE RESISTANT



DESIGN REGISTRATION

<text><text><text><text><text><text><text><text><text><text><list-item><text><text><text><text>

CE CONFORMITY





**10 Years Warranty For GEM / ACE / ACE+ Ranges** 

# FLOWELL PNEUMATICS PVT. LTD.



**Flowell Pneumatics Pvt. Ltd.** offers a comprehensive compressed air piping solution that ensures superior operational efficiency and suitability for a wide range of industrial applications, all at competitive prices.

Our piping system stands out with its reliability, durability, and rigidity, providing a corrosion-free, modular design that meets the highest industrial standards. With a 10-year warranty, Flowell guarantees long-lasting performance.

The solid metal construction of our piping system is designed for ease of installation, making it an ideal solution for compressed air, vacuum, and inert gas distribution. It supports operating pressures up to 16 bar and -0.87 bar in a temperature range of  $-20^{\circ}$ C to  $75^{\circ}$ C.

The extruded aluminium pipe (6063-T6) and SS-304/316L seamless pipes feature a smooth interior surface that reduces friction, minimizes pressure loss, and ensures laminar flow. With full-bore fittings and leak-free connections, our system prevents air wastage and maximizes efficiency.

Flowell Pneumatics introduces three advanced ranges of compressed air and inert gas piping systems:

**GEM** – Aluminum pipes with SS 304 fittings for general industrial applications.

**ACE** – SS 316 pipes with SS 316 fittings for food and beverage industries.

**ACE Plus** – SS 316+ pipes and fittings designed specifically for pharmaceutical applications.

Flowell's solutions deliver the perfect balance of strength, simplicity, and performance for your industry needs.

# **OUR SERVICES**



We specialize in customising and installing aluminium and stainless steel piping systems for diverse industries. Our services include pipe fittings, turnkey solutions, integration with global brands, and advanced monitoring systems for optimal performance.

01	<b>Aluminum Piping Systems</b> For general industries.	02	<b>Design &amp; Installation</b> Tailored piping solutions
03	<b>SS 304 Piping Systems</b> For food and beverage	04	<b>SS 316L Piping</b> <b>Systems</b> Pharmaceutical applications
05	<b>Compatibility</b> Works with global brands	06	<b>Pipe Fittings</b> GEM Series, ACE Series, ACE Plus Series
07	<b>Turnkey Solutions</b> Complete system packages.	08	<b>Monitoring Systems</b> Flowmeters and dew-point meters.

# WHY CHOOSE US?

Choosing Flowell Pneumatics is a smart decision because, with our extensive experience in compressed air piping and fittings, we provide innovative solutions that enhance efficiency and reliability. Our products simplify operations and contribute to the success of industries across the nation.





# **Unmatched Quality**

Our aluminium air pipes offer superior quality, performance, and durability.



## **Expert Consultation**

Our expert team helps you choose the perfect piping system for your needs.



## **Product Range**

We provide aluminum pipes, steel systems, and fittings for industrial use.



## **Tailored Solutions**

Efficient and reliable compressed air piping systems.



## **Timely Delivery**

On-time delivery of all products to ensure your projects stay on schedule.




# FOOD AND BEVERAGE APPLICATION




AEROSPACE



BEVERAGE



**OIL & GAS** 



CHEMICAL

# SS 304 COMPRESSED AIR PIPING FOR FOOD AND BEVERAGE APPLICATION

NPS	1⁄2"	1″	1 ½"	2"	2 ½"	3″	4″
Size	φ21	ф33	ф48	ф60	φ73	ф90	φ114



### TECHNICAL CHARACTERISTICS FOR ACE SERIES

#### • Diameters (in mm)

21-33-48-60-73-90-114

### Max working temp

-20°C to 75°C

#### Max working pressure

16 bar : For sizes 21, 33, 48, 60 13 bar : For sizes 73, 90, 114

#### Vacuum level

-0.87 bar

#### • Pipe material

SS 304 ERW/Seamless Pipes, Conforming to EN 10217-7, EN 10216-1

### • Pipe fittings material

SS 304

#### Sealing material

NBR / Silicone

#### Standard

FLOWELL ACE Series products meet the requirements of ASME B31.3

## Standard Finish of Pipe

For Air - Matte Finish For GAS - Matte Finish with respective standard gas colour radium lining

## Compatibility

Compatible with all Compressor oil / Oil free compressed air, Industrial vacuum, Nitrogen and Inert gases.

# ACE SERIES CLAMP FIT RANGE



### SS 304 - Seamless Pipe

FPP-4-21-5.7 /33-5.7/48-5.7 /60-5.7/ 73-5.7 / 90-5.7 / 114-5.7



# Coupling-SS 304

FPC-4-21 / 33 / 48 / 60 / 73 / 90 /114



Bend – SS 304 FPBC-4-21/33



Elbow – SS 304

FPEC-4-48 / 60 / 73 / 90 / 114



Tee – SS 304

FPTC-4-33 / 48 / 60 / 73 / 90 / 114



Reducing Tee – SS 304

FPRTC-4-114X90 / 90X73 / 73X60 / 60X48




End Cap – SS 304

FPECC-4-21 / 33 /48 / 60 / 73 / 90 / 114



Saddle Branch – SS 304

FPSB-4-33X21 48X33 / 60X33 73X48 / 90X60 114X73



Line Reducer – SS 304

FPLRC-4-33X21 48X33 / 60X48 60X33 / 73X60 73X48 / 90X73 90X60 / 90X48 114X90 / 114X73 114X60 / 114X48



Reducing Bush Male & Female – SS 304

FPRB-4-27X21 33X21/48X33 48X21/60X48 60X33/60X21 73X60/73X48 73X33/73X21



Double Nipple – SS 304

FPDN-4-21/33/48/ 60



F Table Flange Adaptor - SS 304

FPFAC-4-33 / 48 / 60 / 73 / 90 / 114



F Table Reducing Flange Adaptor - SS 304

FPRFAC-4-33X21 48X33,21/60X48,33,21 73X60,48,33/90X73,6 0,48/114X90,73,60



Male Adapter – SS 304

FPMAC-4-21/ 33/ 48 / 60 / 73



F Table Threaded Flange Adaptor -SS 304

FPTFA-4-33 / 40 /60 / 73 / 90 / 114



F Table Reducing Threaded Flange Adaptor - SS 304

FPTRFA-4-33X21 48X33,21/60X48,33,21 73X60,48,33/90X73,6 0,48/114X90,73,60

# **STANDARD ACCESSORIES**




SS-304- One Piece Full Bore Female Theard Ball Valve PN-16

FPBV-4-21/33/48/60

### Aluminum / SS Butterfly Valve PN-16

FPBFV-73/90/144





# Set Of Drilling Fixtur

FPDF-21 / 33 / 48 / 60 / 73 / 90 / 114



# Flexible R1 Hose

FPFH-21-1/33-1/ 48-1/60-1



# Manifold

FPM-4-21-1-3 / 6 FPM-4-33-1-3 / 6




**Pipe Cutter** 

FPPCU 65 / 125



**Pipe Clips** 

FPPC-21 / 33 /48 / 60 / 73 /90 /114



Wall Mounting Bracket

FPWMB-4X2/6X2



**G Beam Clamp** 

FPGBC-20




Cantilever Support For Pipe

FPCSP-200 / -250 / 500



Slotted U-Channel

FPSUC-33X1




## Main Seal Rubber-Coupling

FPCMSR-N-21 / 33 / 48 / 60 / 73 / 90 / 114

## **Flat Seal Ring**

FPCFSR-N-21 / 33 / 48 / 60 / 73 / 90 / 114






# Seal Ring - Saddle Branch

FPDSR-N-33X21 / 48X33 / 60X33 / 73X48 / 90X60 / 114X73

FPPL PIPE DIAMETER SELECTION CHART CONSIDERING 7 BAR OPERATING PRESSURE WITH 3% PRESSURE DROP									
	CLOSED LOOP LENGTH (M)								
ACFM	50	100	150	200	250	300	350	400	450
25	21	21	21	33	33	33	33	33	33
50	33	33	33	33	33	33	33	33	33
100	33	33	48	48	48	48	48	48	48
150	33	48	48	48	48	48	48	48	48
220	48	48	48	48	60	60	60	60	60
300	48	48	60	60	60	60	60	60	60
400	48	60	60	60	60	73	73	73	73
550	60	60	73	73	73	73	73	90	90
650	60	60	73	73	90	90	90	90	90
750	60	73	90	90	90	90	90	90	90
900	73	73	90	90	90	90	90	90	90
1200	73	90	90	90	114	114	114	114	114
1450	73	90	114	114	114	114	114	114	114
1800	90	114	114	114	114	114	114	114	114
2150	90	114	114	114	114	114	114	114+	114+
2300	90	114	114	114	114	114	114+	114+	114+
2700	90	114	114	114	114+	114+	114+	114+	114+
3000	114	114	114	114+	114+	114+	114+	114+	114+



# www.flowellpneumatics.in




## Register Office :

Kimaya, Sr. No. 43/2/4, Gurukrupa Colony Lane No. 2, Wadachi Wadi Road, Opp. Rim's International School, Undri, Pune - 411 060. Contact: +91 9372919096

### Factory Add. :

Sr. No. 36/1/5, Mantarwadi, Uruli Devachi, Pune - 412 308.

Website: www.flowellpneumatics.in



E-mail:info@flowellpneumatics.in